



Scan results for **fabiocioni.it**

! Semi-compliant

Your efforts are noticeable, yet further action is required to meet the Web Content Accessibility Guidelines (WCAG)



Your website is not inclusive and accessible to people with disabilities. **Let's change that!**


33

We found **33** issues on your page


Issue severity



Issues detected by category



Detected issues by type



#	Element	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	6	1	86

Successful Elements

```
<button class="cky-banner-btn-close" data-cky-tag="close-button" aria-label="Vicino" > 
</button>
```

```
<button class="cky-btn cky-btn-customize" aria-label="Personalizza" data-cky-tag="settings-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Personalizza</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Rifiuta tutto</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #000000; border-color: #a4bdf8; background-color: #a4bdf8;" >Accettare tutto</button>
```

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javascript:void(0);" title="Accessibilità" role="button" > <span class="pojo-sr-only sr-only">Open toolbar</span> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100" fill ...
```

```
<button type="submit" class="elementor-button elementor-size-sm" > <span> <span class="elementor-align-icon-right elementor-button-icon"> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 22 13"><path fill-rule="evenodd" clip-rule="evenodd" d="m17 ...
```

Failed Elements

```
<a class="elementor-icon elementor-animation-grow" href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6MzEsInRvZ2dsZSI6ZmFsc2V9" > <svg aria-hidden="true" class="e-font-icon-svg e-fas-at" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ...
```

2	Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.	Yes	6	1	86
---	---	-----	---	---	----

Successful Elements

```
<button class="cky-banner-btn-close" data-cky-tag="close-button" aria-label="Vicino" > 
</button>
```

```
<button class="cky-btn cky-btn-customize" aria-label="Personalizza" data-cky-tag="settings-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Personalizza</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Rifiuta tutto</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #000000; border-color: #a4bdf8; background-color: #a4bdf8;" >Accettare tutto</button>
```

```
<a class="pojo-a11y-toolbar-link pojo-a11y-toolbar-toggle-link" href="javascript:void(0);" title="Accessibilità" role="button" > <span class="pojo-sr-only sr-only">Open toolbar</span> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 100 100" fill ...
```

```
<button type="submit" class="elementor-button elementor-size-sm" > <span> <span class="elementor-align-icon-right elementor-button-icon"> <svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 22 13"><path fill-rule="evenodd" clip-rule="evenodd" d="m17 ...
```

Failed Elements

```
<a class="elementor-icon elementor-animation-grow" href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6MzEsInRvZ2dsZSI6ZmFsc2V9" > <svg aria-hidden="true" class="e-font-icon-svg e-fas-at" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" >
```

- 3 Links should include text that is setting expectations to Yes what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

27

5

84

Successful Elements

```
<a href="https://fabiocioni.it" > Home</a>
```

```
<a href="https://fabiocioni.it/info/" class="elementor-item" >Info</a>
```

```
<a href="https://fabiocioni.it/services/" class="elementor-item has-submenu" id="sm-17148328068549426-1" aria-haspopup="true" aria-controls="sm-17148328068549426-2" aria-expanded="false" >Servizi<span class="sub-arrow"><svg class="e-font-icon-svg e-f ...
```

```
<a href="https://fabiocioni.it/category/marketing-online/" class="elementor-item">Notizie Flash</a>
```

```
<a href="https://fabiocioni.it/contattami/" class="elementor-item" >Contatti</a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://fabiocioni.it/info/" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Maggiori info</span> </span> </a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://fabiocioni.it/services/" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Per saperne di più</span> </span> </a>
```

```
<a href="https://fabiocioni.it/social-media/" > Scopri di più </a>
```

```
<a class="elementor-button elementor-button-link elementor-size-sm" href="https://fabiocioni.it/contattami/" > <span class="elementor-button-content-wrapper"> <span class="elementor-button-text">Contattaci ora</span> </span> </a>
```

Failed Elements

```
<a class="elementor-icon elementor-animation-grow" href="https://wa.me/393204522850?text=Sonoi%20interessato%20ti%20contatto%20dal%20sito%20fabiocioni.it" > <svg aria-hidden="true" class="e-font-icon-svg e-fab-whatsapp" viewBox="0 0 448 512" xmlns="h ...
```

```
<a href="https://fabiocioni.it/social-media/" class="elementor-icon elementor-animation-" tabindex="-1" > <svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" width="22.34" height="9.14" viewBox="0 0 22.34 9.14"><path d="M22.16,4.13h0S18.21,.18,18.21 ...
```

4	Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.	Yes	Pass	-	100
---	--	-----	------	---	-----

Successful Elements

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-402caee" href="https://www.linkedin.com/in/fabio-cioni-facile-digitale/" target="_blank" > <span class="elementor-screen-only">Linkedin</span> <svg ...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	No	-	Fail	0
---	--	----	---	------	---

Failed Elements

```
<p class="cky-title" role="heading" aria-level="1" data-cky-tag="title" style="color: #d0d0d0;"> Diamo valore alla tua privacy </p>
```

`<h1 class="elementor-heading-title elementor-size-default">Sta per iniziare il tuo viaggio verso il successo digitale.</h1>`

6 HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. Yes 8 0 100

7 Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. No 0 0

8 Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. Yes Pass - 100

9 Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". Yes Pass - 100

10 Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. Yes Pass - 100

11 Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it. No 0 0

12 Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. No - Fail 0

Failed Elements

```
<a id="pojo-a11y-skip-content" class="pojo-skip-link pojo-skip-content" tabindex="1" accesskey="s" href="#content" >Skip to content</a>
```

```
<a class="skip-link screen-reader-text" href="#content" >Vai al contenuto</a>
```

13 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. No 0 0

14 Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. No 0 0

15 Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. Yes 2 0 100

Successful Elements

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-underline e--animation-slide"><ul id="menu-1-1d90c4a3" class="elementor-nav-menu" data-smartmenus-id="17148328068549426" ><li class="m ...
```

```
<nav class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-text e--animation-float"><ul id="menu-1-54ce4820" class="elementor-nav-menu sm-vertical" data-smartmenus-id="17148328068625298" ><li cla ...
```

16 Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true". Yes Pass - 100

Successful Elements

```
<a href="https://fabiocioni.it/services/" class="elementor-item has-submenu" id="sm-17148328068549426-1" aria-haspopup="true" aria-controls="sm-17148328068549426-2" aria-expanded="false" >Servizi<span class="sub-arrow"><svg class="e-font-icon-svg e-f ...
```

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown. Yes Pass - 100

Successful Elements

```
<a href="https://fabiocioni.it/services/" class="elementor-item has-submenu" id="sm-17148328068549426-1" aria-haspopup="true" aria-controls="sm-17148328068549426-2" aria-expanded="false" >Servizi<span class="sub-arrow"><svg class="e-font-icon-svg e-f ...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute. Yes 4 0 100

Successful Elements

```

```

```
</div>
```

```
<div class="elementor-element elementor-element-49e7e7f9 e-con-full e-flex e-con e-child" data-id="49e7e7f9" data-element_type="container" data-settings="{&quot;background_background&quot;;&quot;classic&quot;}"></div>
```

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	9	14	39
----	---	-----	---	----	----

Successful Elements

```
<i class="cky-chevron-right" ></i>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-at" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" ><path d="M256 8C118.941 8 8 118.919 8 256c0 137.059 110.919 248 248 248 48.154 0 95.342-14.14 135.408-40.223 12.005-7.815 14.625-24.288 ...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fab-whatsapp" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M380.9 97.1C339 55.1 283.2 32 223.9 32c-122.4 0-222 99.6-222 222 0 39.1 10.2 77.3 29.6 111L0 480l117.7-30.9c32.4 17.7 68 ...
```

```
<svg class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l2 2.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4 96.4-96.4c9.4-9.4 24.6-9.4 33.9 0l22.6 22.6c9.4 9 ...
```

Failed Elements

```
<span class="cky-footer-shadow" style="background: linear-gradient(180deg, rgba(255, 255, 255, 0) 0%, #121212 100%);" ></span>
```

```
<svg class="e-font-icon-svg e-fas-angle-down" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" ><path d="M143 352.3L7 216.3c-9.4-9.4-9.4-24.6 0-33.9l2 2.6-22.6c9.4-9.4 24.6-9.4 33.9 0l96.4 96.4 96.4-96.4c9.4-9.4 24.6-9.4 33.9 0l22.6 22.6c9.4 9 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" width="49" height="50" viewBox="0 0 49 50" ><defs ><style >.cls-1{fill:#181818}</style></defs><path class="cls-1" d="M0,50H28.94V16.66" ></path><path d="M20.06,50h28.94V16.66" ></path><path class=" ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" id="Layer_1" width="22.34" height="9.14" viewBox="0 0 22.34 9.14" ><path d="M22.16,4.13h0S18.21,.18,18.21,.18c-.24-.24-.64-.24-.88,0-.24,.24-.24,.64,0,.88l2.89,2.89H0v1.24H0s20.22,0,20.22,0l-2.89,2.89c-.24,.24- ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 49 50" ><path d="M24.5 50a2 4.05 24.05 0 0 1-9.376-1.904 24.468 24.468 0 0 1-7.948-5.424 25.066 25.066 0 0 1-5.311-8.119A25.492 25.492 0 0 1 0 24.976h24.5V50Z" fill="#181818" ></path><path d="M49 24 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 49 50" ><path d="M16.332 16.667H0v16.666h16.332V16.667Z" fill="#181818" ></path><path d="M32.667 16.667H16.333v16.666h16.332V16.667Z" ></path><path d="M49 0H32.668v16.667H49V0ZM32.667 33.333 H16.335 ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 49 50" ><path d="M16.333 9.398H0V50h16.333V9.398Z" fill="#181818" ></path><path d="M32.666 9.398H16.333V50h16.333V9.398Z" ></path><path d="M49 0H32.665v40.602h16.333V0Z" fill="#181818" ></path></sv ...
```

```
<svg xmlns="http://www.w3.org/2000/svg" viewBox="0 0 22 13" ><path fill-rule="evenodd" clip-rule="evenodd" d="m17.606 2.176 3.818 3.818a.6.6 0 0 1 0 .849l-3.818 3.818a.6.6 0 0 1-.849-.849l2.794-2.794H0v-1.2h19.552l-2.795-2.794a.6.6 0 1 1 .849-.848Z" ...
```

```
<svg class="e-font-icon-svg e-fab-linkedin" viewBox="0 0 448 512" xmlns="http://www.w3.org/2000/svg" ><path d="M416 32H31.9C14.3 32 0 46.5 0 64.3v383.4C0 465.5 14.3 480 31.9 480H416c17.6 0 32-14.5 32-32.3V64.3c0-17.8-14.4-32.3-32.3-32.3zM135.4 416H69V2 ...
```

```
<span id="elementor-device-mode" class="elementor-screen-only" ></span>
```


21	Figure elements that are used to display images should not have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0
----	--	----	---	---

22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0
----	--	----	---	---

23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0
----	---	----	---	---

24	Form fields should either include an "aria-label" attribute or a connected LABEL element describing the requirement of the field (email, phone, name, etc.).	Yes	Pass	-	100
----	--	-----	------	---	-----

Successful Elements

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Iscriverti alla mailing list :)" required="required" aria-required="true">
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0
----	--	----	---	---

26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0
----	---	----	---	---

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0
----	---	----	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	2	0	100
----	---	-----	---	---	-----

Successful Elements

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17148328068549426-2" role="group" aria-hidden="true" aria-labelledby="sm-17148328068549426-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown" id="sm-17148328068573005-2" role="group" aria-hidden="true" aria-labelledby="sm-17148328068573005-1" aria-expanded="false" ><li class="menu-item menu-item-type-post_type menu-item-object-page menu-item-...
```

29 All forms should have a submission button that is built Yes Pass - 100
as an input type "submit" or a "button" element, or
include a "role" tag that equals to "button". Buttons can
be hidden if the form can be submitted using the Enter
key.

Successful Elements

```
<form class="elementor-form" method="post" name="Mailing List Form"> <input type="hidden" name="post_id" value="48" > <input type="hidden" name="form_id" value="1de6619b" > <input type="hidden" name="referer_title" value="Home » Fabio Cioni Facile Di ...
```

30 Search forms should include a "role" tag that equals to No 0 0
"search" (or be wrapped by one) to indicate a search
landmark for screen-readers.

31 The title tag of the HEAD section (also the title that Yes Pass - 100
appears in the browser tab and Search Engine result
pages) should exist and describe the name of the
current webpage for screen-reader users.

Successful Elements

```
<title>Home » Fabio Cioni Facile Digitale</title>
```

32 The HTML tag should include a "lang" attribute that Yes Pass - 100
represents the main language of the webpage so
screen-readers can calibrate on it for blind users.

Successful Elements

```
<html lang="it-IT" prefix="og: https://ogp.me/ns#"><head><meta charset="UTF-8"><meta name="viewport" content="width=device-width, initial-scale=1"><link rel="profile" href="https://gmpg.org/xfn/11"><title>Home » Fabio Cioni Facile Digitale</title><me ...
```

33 The meta viewport tag should allow vision impaired Yes Pass - 100
users to pinch-zoom at least double the standard
scaling using the user-scalable="yes" and maximum-
scale={2 or higher} content strings.

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34

Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.

Yes

2

1

67

Successful Elements

```
<footer data-elementor-type="footer" data-elementor-id="48" class="elementor elementor-48 elementor-location-footer" data-elementor-post-type="elementor_library">
<div class="elementor-element elementor-element-2e15c476 e-flex e-con-boxed e-con-e-pare ...
```

Failed Elements

```
<div class="elementor-element elementor-element-68084794 e-con-full e-flex e-con-e-parent e-lazyloaded" data-id="68084794" data-element_type="container" data-settings="{&quot;background_background&quot;:&quot;classic&quot;}"><div class="elementor-ele ...
```

35

Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

0

3

0

Failed Elements

```
<div class="elementor-widget-container"><style >/*! elementor - v3.21.0 - 11-04-2024 */ .elementor-widget-social-icons.elementor-grid-0 .elementor-widget-container,.elementor-widget-social-icons.elementor-grid-mobile-0 .elementor-widget-container,.el ...
```

```
<div class="elementor-social-icons-wrapper elementor-grid"> <span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-402cae" href="https://www.linkedin.com/in/fabio-cion ...
```

```
<span class="elementor-grid-item"> <a class="elementor-icon elementor-social-icon elementor-social-icon-linkedin elementor-repeater-item-402cae" href="https://www.linkedin.com/in/fabio-cioni-facile-digitale/" target="_blank" > <span class="elementor ...
```

36

Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.

0

4

0

Failed Elements

```
<h1 class="elementor-heading-title elementor-size-default">Sta per iniziare il tuo viaggio verso il successo digitale.</h1>
```

```
<h2 class="elementor-heading-title elementor-size-default">Espandere la Tua Azien  
da Attraverso Campagne Uniche ed Efficaci</h2>
```

```
<h2 class="elementor-heading-title elementor-size-default">Cosa facciamo</h2>
```

```
<h2 class="elementor-heading-title elementor-size-default">Vuoi potenziare il tuo  
business oggi?</h2>
```

37

Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

63

0

100

Successful Elements

```
<p class="cky-title" role="heading" aria-level="1" data-cky-tag="title" style="color: #d0d0d0;"> Diamo valore alla tua privacy </p>
```

```
<p>Utilizziamo i cookie per migliorare la tua esperienza di navigazione, offrirti pubblicità o contenuti personalizzati e analizzare il nostro traffico. Cliccando "Accetta tutti", acconsenti al nostro utilizzo dei cookie.</p>
```

```
<button class="cky-btn cky-btn-customize" aria-label="Personalizza" data-cky-tag="settings-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Personalizza</button>
```

```
<button class="cky-btn cky-btn-reject" aria-label="Rifiuta tutto" data-cky-tag="reject-button" style="color: #d0d0d0; border-color: #d0d0d0; background-color: transparent;" >Rifiuta tutto</button>
```

```
<button class="cky-btn cky-btn-accept" aria-label="Accettare tutto" data-cky-tag="accept-button" style="color: #000000; border-color: #a4bdf8; background-color: #a4bdf8;" >Accettare tutto</button>
```

```
<span class="pojo-a11y-toolbar-text">incrementa testo</span>
```

```
<span class="pojo-a11y-toolbar-text">decrementa testo</span>
```

```
<span class="pojo-a11y-toolbar-text">scala di grigi</span>
```

```
<span class="pojo-a11y-toolbar-text">alto contrasto</span>
```

```
<span class="pojo-a11y-toolbar-text">Negativo</span>
```

38

Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No

0

0

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0
44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality.	No	0	0
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only text conveying the score/rate.	No	0	0
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0